© Copyr	ial Composition D ight 2005. IPC, Bannoc onal and Pan-American	kburn, Illinois. A	Ill rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	ation of the encompass	substances ses all low	within the manufa er level materials fo	octurer listed	d item. Note: e manufactur	if the item is an as er has engineering	ssembly with lower responsibility.	
				Form Type Distribute						aterials and	ials and Mfg Information			
Supplier Information														
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*				
onsemi											2025-06-03			
Contact Name Ti			Title - Contact			Phone - Contact*				Emai	Email - Contact*			
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com				
Authorized Representative* Ti			Title - Representative			Phone - Representative*			Emai	Email - Representative*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com				
Requester Item Num	Requester Item Number Mfr Item		Number Mfr Item Name			Effective Da	te Versio	n	Manufacturing Site		Weight*	UOM	Unit Type	
	SMME	T3904TT1G	SS SC75 GP XSTR NPN 60V			2025-06-03			CN1		2.51	mg	Each	
Manufacturing Proccess	Information													
Terminal Plating / Grid Array Material Terminal Ba		Terminal Base	Alloy	J-STD-020 MSI	L Rating	Peak Pro	cess Body	Temperatu	re Max Time at P	eak Tempe	rature Num	ber of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30	sec	conds 3			
Comments														
level 1 - maximum time at peak	k temperature during s	oldering is 10-3	0 seconds											
For more information regardin	ng material compositio	n please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material Weight Unit of Measu		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	0.06	mg	Supplier	Silicon (Si)	7440-21-3		0.06	mg		
Lead Frame	0.75	mg	В	Nickel (Ni)	7440-02-0		0.2843	mg		
			Supplier	Iron (Fe)	7439-89-6		0.393	mg		
			Supplier	Copper (Cu)	7440-50-8		0.0727	mg		
Mold Compound-Black	1.57	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.0471	mg		
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0078	mg		
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.0471	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.256	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.0157	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.1256	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.0707	mg		
Plating	0.12	mg	Supplier	Tin (Sn)	7440-31-5		0.12	mg		
Wire Bond - Cu	0.01	mg	Supplier	Copper (Cu)	7440-50-8		0.01	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).