ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES international and P	IPC, Bannockl	burn, Illinois. A	Il rights reserved untions.	under both	This docum level parts, t	ent is a declara he declaration	tion of the s	substances es all lowe	within the mar er level materia	nufacturer ls for whi	r listed item. N ch the manufa	Note: if the state of the second seco	he item is an as as engineering	sembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form http://www.ipc.org/IPC-175x Distribution				e * Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					Material	ials and Mfg Information			
Supplier Information														
Company name* Con			Company unique ID			Unique ID Authority					Response Date*			
onsemi											2025-06-07			
Contact Name Title - Contact			.ct			Phone - Contact*					Email - Contact*			
Product-Env-Stewards Product Env			Enviro Compliance			NA					Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Repre			resentative			Phone - Representative*				1	Email - Representative*			
Product-Env-Stewards Product			oduct Enviro Compliance			NA					Product-Env-Stewards@onsemi.com			
Requester Item Number	Requester Item Number Mfr Item		Number Mfr Item Name			Effective Da	e Version	1	Manufacturing Site		Weigh	nt*	UOM	Unit Type
	SMMBT	SMMBT3904WT1G SS		SS SC70 GP XSTR NPN 40V		2025-06-07			CN1		5.995		mg	Each
Anufacturing Proccess Inform	ation												·	
Terminal Plating / Grid Array M	ninal Plating / Grid Array Material Terminal Base /		Alloy	J-STD-020 MSL Rating		Peak Process Body Temperature Max Time		at Peak T	eak Temperature Number of Reflow Cycles					
Matte Tin (Sn) - annealed CU Alloy		CU Alloy		1		260		С	30		seconds	3		
omments														
vel 1 - maximum time at peak tempera	ture during so	Idering is 10-3	0 seconds											
or more information regarding materia	al composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	faterial Weight Unit of Measure		Level	Substance CAS		CAS Exempt		Unit of Measure		
Die	0.1	mg	Supplier	Silicon (Si)	7440-21-3		0.1	mg		
Lead Frame	2.08	mg	В	Nickel (Ni)	7440-02-0		0.7966	mg		
			Supplier	Iron (Fe)	7439-89-6		1.1003	mg		
			Supplier	Copper (Cu)	7440-50-8		0.183	mg		
Mold Compound-Black	3.7	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.111	mg		
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0185	mg		
			Supplier	2,4,6-triamino-s-triazincompd.withs- triazine-triol	37640-57-6		0.111	mg		
			Supplier	Silica Amorphous (SiO2)	7631-86-9		2.96	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.037	mg		
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.296	mg		
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.1665	mg		
Plating	0.11	mg	Supplier	Tin (Sn)	7440-31-5		0.11	mg		
Wire Bond	0.005	mg	Supplier	Palladium (Pd)	7440-05-3		0	mg		
			Supplier	Copper (Cu)	7440-50-8		0.0049	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).