IPC ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.										
752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information									
upplier Informa	ition						·								
Company name*				Company unique ID			Unique ID Authority					Response Date*			
nsemi											2024-04-19				
ontact Name			Title - Contact			F	Phone - Contact*					Email - Contact*			
Product-Env-Stewar	ds		Product Enviro Compliance]	NA					Product-Env-Stewards@onsemi.com			
uthorized Represen	tative*		Title - Representative			F	Phone - Representative*				Email - Representative*				
roduct-Env-Stewar	ds	Product Enviro Compliance]	NA				Product-Env-Stewards@onsemi.com					
Requester	Requester Item Number Mfr Iten		Number Mfr Item Name			Effective Date	Version	Version Manufacturing Site		ing Site	1	Weight*	UOM	Unit Type	
		STK681-3	332-Е	DC brush motor dr	river		2024-04-19			VN2		3	3400.0	mg	Each
	roccess Informatio				gmp 000 150					1			ļ., .		
8 - 1 - 1		Terminal Base Alloy J-STD-020 MS		L Rating	Peak Process Body Temperature Max Time at		me at Peak	T .		er of Reflow Cyc	cles				
<u> </u>	(Sn) - annealed	C	U Alloy	N	Α		0		C	30		secon	ds 3		
omments															
r more information	n regarding material con	mposition p	please refer to	page 3											

RoHS Material Composition Declaration			Declaration 7	Гуре *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU												
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier have provided as part of that agreement, will be the sole and exclusivesource of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such												
RoHS Declaration * 4 - Item(s	does not contain RoHS restricted substances	per the definition above except for sele	ted exemptions	Supplier Acceptance	* Accepted							
Exemption: 7c-I Electrical and electronic co	omponents containing lead in a glass or cera	mic other than dielectric ceramic in	apacitors, e.g. piezoelect	ronic devices, or in a glass or co	eramic matrix compound.							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required f Requester) and click on Submit Form to ha		ccepted" on the Supplier Acceptance	drop-down. This will dis	play the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	astislav Drska	E										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	1143.2	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		6.5162	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		43.4416	mg
			В	Nickel (Ni)	7440-02-0		2.0578	mg
			Supplier	Acrylic resins	Proprietary Data		0.8002	mg
			Supplier	Copper (Cu)	7440-50-8		40.5836	mg
			Supplier	Barium Sulfate (BaSO4)	7727-43-7		0.6859	mg
			Supplier	Aluminum (Al)	7429-90-5		1049.1146	mg
Chip Parts	9.46	mg	Supplier	Silver (Ag)	7440-22-4		0.4787	mg
			Supplier	Epoxy resins	129915-35-1		0.2431	mg
			Supplier	Tin (Sn)	7440-31-5		0.3916	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.2479	mg
			Supplier	Ceramic	12013-47-7, 12047- 27-7		2.4814	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		4.6222	mg
			В	Nickel (Ni)	7440-02-0		0.4844	mg
			A	Lead Oxide (PbO)	1317-36-8	7c	0.0303	mg
			Supplier	Copper (Cu)	7440-50-8		0.4806	mg
Die	8.22	mg	Supplier	Silicon (Si)	7440-21-3		8.2068	mg
			Supplier	Polyimide	Proprietary Data		0.0132	mg
Die Attach	0.28	mg	Supplier	Silver (Ag)	7440-22-4		0.2156	mg
			Supplier	Other Epoxy resins	Proprietary Data		0.0476	mg
			Supplier	Other Metal Oxide	Proprietary Data		0.012	mg
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.0048	mg
Lead Frame	474.08	mg	Supplier	Tin (Sn)	7440-31-5		0.2844	mg
			Supplier	Copper (Cu)	7440-50-8		473.7955	mg
Mold Compound-Black	1757.27	mg		Brominated epoxy resin	proprietary data		35.1454	mg
			Supplier	Phenolic Resin	Proprietary Data		123.0089	mg
			В	Antimony Trioxide (Sb2O3)	1309-64-4		35.1454	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1230.089	mg
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		333.8813	mg
Plating	0.95	mg	Supplier	Tin (Sn)	7440-31-5		0.5881	mg
			В	Nickel (Ni)	7440-02-0		0.3619	mg

Solder Ball	3.96	mg	Supplier	Silver (Ag)	7440-22-4	0.1105	mg
			Supplier	Tin (Sn)	7440-31-5	3.8269	mg
			В	Antimony (Sb)	7440-36-0	0.0032	mg
			Supplier	Copper (Cu)	7440-50-8	0.0194	mg
Wire Bond	2.58	mg	Supplier	Silicon (Si)	7440-21-3	0.0083	mg
			Supplier	Aluminum (Al)	7429-90-5	2.5717	mg