| IPC ASSOCIATION ELECTRONIC | Material Compo © Copyright 2005. II international and Pan | PC, Bannockb | urn, Illinois. A | all rights reserved un | nder both | This docume level parts, the | ent is a declara he declaration | tion of the | substances ses all lowe | within the r level ma | manufactur terials for w | er listed it hich the m | em. Note: | if the item is an as r has engineering | sembly with lowe responsibility. |
|----------------------------------|---|------------------------------------|---------------------------|---------------------------------|-----------|---|--------------------------------------|-------------|----------------------------|---------------------------------|-----------------------------|---------------------------------|-------------------|---|----------------------------------|
| 1752-21.1 | 21.1 IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute | | | | * | Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Info | | | | | g Informat | tion | | | |
| Supplie | r Information | | | | | | | | | | | | | | |
| Company name* Company unique ID | | | | | 1 | Unique ID Authority | | | | | Response Date* | | | | |
| onsemi | | | | | | | | | | | | 2024-04-30 | | | |
| Contact N | Vame | Title - Contact | | |] | Phone - Contact* | | | | | Email - Contact* | | | | |
| Product-l | Env-Stewards | | Product Enviro Compliance | | | | NA | | | | | Product-Env-Stewards@onsemi.com | | | |
| Authorize | ed Representative* | Title - Representative | | |] | Phone - Representative* | | | | Email - Representative* | | | | | |
| Product-l | Env-Stewards | Product Envi | roduct Enviro Compliance | | | NA | | | | Product-Env-Stewards@onsemi.com | | | | | |
| | Requester Item Number Mfr Item | | Number | mber Mfr Item Name | | | Effective Date Version Manufacturing | | ring Site | Weight* | | UOM | Unit Type | | |
| | | STK682-010-E Stepping motor driver | | iver | | 2024-04-30 | | , | VN2 | | | 900.0 | mg | Each | |
| Manufa | cturing Proccess Informat | tion | | | | | | | , | | | , | | | |
| | Terminal Plating / Grid Array Material T | | erminal Base | rminal Base Alloy J-STD-020 MSI | | L Rating | Peak Process Body Temperatu | | re Max T | ime at Peak | Temperatu | ire Num | ber of Reflow Cyc | eles | |
| | Matte Tin (Sn) - annealed | | CU Alloy | N | NA | | 0 | C 30 | | | seconds 3 | | | | |
| Comments | S | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| or more | information regarding material | composition j | please refer to | page 3 | | | | | | | | | | | |

| RoHS Material Composition Declaration | | | Declaration Type * | Detail | ed | | | | | | | |
|---|--|--|--|-----------------------|--------------------------------------|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS Directive 2011/65/EU RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). | | | | | | | | | | | | |
| Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others, in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusivesource of the Supplier's Standard Terms andConditions of Sale applicable to such part shall apply. | | | | | | | | | | | | |
| RoHS Declaration * 1 - Item | (s) does not contain RoHS restricted substar | nces per the definition above | Supplier A | cceptance * | Accepted | | | | | | | |
| Exemption: If the declared item does not applicable exemptions. | contain RoHS restricted substances per t | he definition above except for defined Rol | IS exemptions, then select the corresponding | response in the R | oHS Declaration above and choose all | | | | | | | |
| Exemption List Version | EL-2011/534/EU | | | | | | | | | | | |
| Declaration Signature | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | e "Accepted" on the Supplier Acceptance | drop-down. This will display the signature a | rea. Digitally sign t | the declaration (if required by the | | | | | | | |

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

| Homogeneous Material | Weight | Unit of Measure | Level | Substance | CAS | Exempt | Weight | Unit of Measure |
|----------------------|---------|-----------------|----------|--------------------------------------|----------------------------|--------|-----------|-----------------|
| Ceramic Substrate | 1155.57 | mg | Supplier | Bisphenol A_Epichlorohydrin Polymer | 25068-38-6 | | 6.5867 | mg |
| | | | Supplier | Aluminum Trioxide (Al2O3) | 1344-28-1 | | 43.9117 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 2.08 | mg |
| | | | Supplier | Acrylic resins | Proprietary Data | | 0.8089 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 41.0227 | mg |
| | | | Supplier | Barium Sulfate (BaSO4) | 7727-43-7 | | 0.6933 | mg |
| | | | Supplier | Aluminum (Al) | 7429-90-5 | | 1060.4666 | mg |
| Chip Parts | 18.91 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.0227 | mg |
| | | | Supplier | Bisphenol A, Epichlorohydrin polymer | 25036-25-3, 25068- 38-6 | | 0.0076 | mg |
| | | | Supplier | Tin (Sn) | 7440-31-5 | | 0.4614 | mg |
| | | | Supplier | Magnesium Monoxide (MgO) | 1309-48-4 | | 0.0151 | mg |
| | | | Supplier | Silica Amorphous (SiO2) | 7631-86-9 | | 0.034 | mg |
| | | | Supplier | Ceramic | 12013-47-7, 12047- 27-7 | | 11.953 | mg |
| | | | Supplier | Aluminum Trioxide (Al2O3) | 1344-28-1 | | 0.9776 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 2.5056 | mg |
| | | | Supplier | Chromium Trioxide (Cr2O3) | 1308-38-9 | | 0.0019 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 2.9311 | mg |
| Die | 14.56 | mg | Supplier | Silicon (Si) | 7440-21-3 | | 14.5061 | mg |
| | | | Supplier | Polyimide | Proprietary Data | | 0.0539 | mg |
| Lead Frame | 479.21 | mg | Supplier | Tin (Sn) | 7440-31-5 | | 0.2875 | mg |
| | | | Supplier | Copper (Cu) | 7440-50-8 | | 478.9225 | mg |
| Mold Compound-Black | 2220.35 | mg | | Brominated epoxy resin | proprietary data | | 44.407 | mg |
| | | | Supplier | Phenolic Resin | Proprietary Data | | 155.4245 | mg |
| | | | В | Antimony Trioxide (Sb2O3) | 1309-64-4 | | 44.407 | mg |
| | | | Supplier | Fused Silica (SiO2) | 60676-86-0 | | 1554.245 | mg |
| | | | Supplier | Ortho-Cresol Novolac Resin | 29690-82-2 | | 421.8665 | mg |
| Plating | 0.96 | mg | Supplier | Tin (Sn) | 7440-31-5 | | 0.5943 | mg |
| | | | В | Nickel (Ni) | 7440-02-0 | | 0.3657 | mg |
| Solder Ball | 9.17 | mg | Supplier | Silver (Ag) | 7440-22-4 | | 0.2558 | mg |
| | | | Supplier | Tin (Sn) | 7440-31-5 | | 8.8619 | mg |

| | | | В | Antimony (Sb) | 7440-36-0 | 0.0073 | mg |
|-----------|------|----|----------|---------------|-----------|--------|----|
| | | | Supplier | Copper (Cu) | 7440-50-8 | 0.0449 | mg |
| Wire Bond | 1.27 | mg | Supplier | Silicon (Si) | 7440-21-3 | 0.0038 | mg |
| | | | Supplier | Aluminum (Al) | 7429-90-5 | 1.2662 | mg |