




QSOP28 NB CASE 492AA ISSUE O

DATE 27 MAR 2008




NOTES:

- DIMENSIONING AND TOLERANCING PER ASME Y14.5M, 1994.
- 2. CONTROLLING DIMENSION: MILLIMETERS.
 3. DIMENSION b DOES NOT INCLUDE DAMBAR
- PROTRUSION.

 4. DIMENSIONS D AND E DO NOT INCLUDE MOLD
- PROTRUSIONS OR FLASH. END FLASH SHALL NOT EXCEED 0.25 PER SIDE.

MILLIMETERS		
MAX	MIN	
1.35	1.75	
0.10	0.25	
0.20	0.30	
0.19	0.25	
9.80	10.00	
3.80	4.00	
0.635 BSC		
5.79	6.20	
0.22	0.50	
0.40	1.27	
0°	8°	
	MAX 1.35 0.10 0.20 0.19 9.80 3.80 0.635 5.79 0.22 0.40	

SOLDERING FOOTPRINT



DESCRIPTION	OCODOS ND	Think to the desired and the transfer of the t	DAGE 1 OF 1
DOCUMENT NUMBER:	98AON26685D	Electronic versions are uncontrolled except when accessed directly from the Document Repository. Printed versions are uncontrolled except when stamped "CONTROLLED COPY" in red.	

onsemi and ONSEMI are trademarks of Semiconductor Components Industries, LLC dba onsemi or its subsidiaries in the United States and/or other countries. onsemi reserves the right to make changes without further notice to any products herein. onsemi nakes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does onsemi assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. onsemi does not convey any license under its patent rights nor the rights of others.