



<b>Title of Change:</b>	Final Change Notification on tape and reel pitch, quantity per reel, and pin one orientation in tape for CAS24S128C4ATR.		
<b>Proposed first ship date:</b>	25 December 2015 or earlier with customer approval		
<b>Contact information:</b>	Contact your local ON Semiconductor Sales Office or <ahmad.sarwari@onsemi.com>		
<b>Samples:</b>	Contact your local ON Semiconductor Sales Office		
<b>Additional Reliability Data:</b>	N/A		
<b>Type of notification:</b>	This is a Final Product/Process Change Notification (FPCN) sent to customers. FPCNs are issued 90 days prior to implementation of the change. ON Semiconductor will consider this change accepted, unless an inquiry is made in writing within 30 days of delivery of this notice. To do so, contact <PCN.Support@onsemi.com>.		
<b>Change Part Identification:</b>	Affected product from ON semiconductor with the change will be identified by assembly lot numbers.		
<b>Change category:</b>	<input type="checkbox"/> Wafer Fab Change <input type="checkbox"/> Assembly Change <input type="checkbox"/> Test Change <input checked="" type="checkbox"/> Other <u>Packaging</u>		
<b>Change Sub-Category(s):</b>			
<input type="checkbox"/> Manufacturing Site Change/Addition <input type="checkbox"/> Material Change		<input type="checkbox"/> Datasheet/Product Doc change	
<input type="checkbox"/> Manufacturing Process Change <input type="checkbox"/> Product specific change		<input checked="" type="checkbox"/> Shipping/Packaging/Marking	
		<input type="checkbox"/> Other: _____	
<b>Sites Affected:</b>			
<input type="checkbox"/> All site(s) <input type="checkbox"/> not applicable <input type="checkbox"/> ON Semiconductor site(s) :		<input checked="" type="checkbox"/> External Foundry/Subcon site(s) JCAP	
<b>Description and Purpose:</b>			
ON Semiconductor is notifying customers of the change in tape and reel pitch, quantity per reel, and pin one orientation in tape for CAS24S128C4ATR.			
<ul style="list-style-type: none"> <li>Tape and reel pitch will be changed from 2mm pitch (3M119401) to 4mm pitch (3M109301-2).</li> <li>Quantity per reel will be changed from 10,000 units to 5,000 units.</li> <li>Pin one orientation in tape will be changed from upper right to upper left.</li> </ul>			
<b>Reliability Data Summary:</b>			
N/A			
<b>Electrical Characteristic Summary:</b>			
N/A			
<b>List of affected Customer Specific Parts:</b>			
<b>Part Number</b>		<b>Qualification Vehicle</b>	
CAS24S128C4ATR		CAS24S128C4ATR	