IPC ASSOCIATION CONI	© Copyright 2005.	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.			der both This do level p	This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.								
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi				ials and Mfg Information				
upplier Inf	formation													
Company name*			Company unique ID			Uniq	Unique ID Authority				Response Date*			
nsemi											2025-05-12			
Contact Name	:		Title - Contact			Phon	Phone - Contact*				Email - Contact*			
Product-Env-S	Stewards		Product Enviro Compliance			NA	NA				Product-Env-Stewards@onsemi.com			
uthorized Re	epresentative*		Title - Representative			Phon	Phone - Representative*				Email - Representative*			
Product-Env-Stewards			Product Enviro Compliance			NA	NA				Product-Env-Stewards@onsemi.com			
Rec	quester Item Number	Mfr Item	Number	Mfr Item Name		Effe	ective Date	Version	Ma	Manufacturing Site		Weight*	UOM	Unit Type
				25A Stackable Low Buck Regulator	Voltage Synchronou	us 202:	2025-05-12 PH1		<b>I</b> 1		94.502	mg	Each	
Ianufactur	ring Proccess Informa	ation												
Terminal Plating / Grid Array Material Terminal Base Alloy			Alloy J-S	STD-020 MSL Rating	ng Peak Process Body Temperature Max Time at Peak Temperature Num						ure Numb	er of Reflow Cyo	eles	
Matte Tin (Sn) - annealed		CU Alloy 1				260	C		30 seco		ds 3			
omments	<u> </u>													
vel 1 - maxim	num time at peak temperat	ure during sol	dering is 10-3	30 seconds										
or more infor	rmation regarding material	l composition	please refer t	o page 3										

RoHS Material Composition Declaration			Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU											
Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2011/65/EU and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalentchromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance inexcess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledges and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.											
RoHS Declaration * 4 - Item(s	) does not contain RoHS restricted substance	es per the definition above except for selected exemp	otions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85% by weight or more lead).											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.											
Supplier Digital Signature Ra	astislav Drska	-6_									

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

<b>Homogeneous Material</b>	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Clip	3.85	mg	Supplier	Zinc (Zn)	7440-66-6		0.0046	mg
			Supplier	Iron (Fe)	7439-89-6		0.0924	mg
			Supplier	Copper (Cu)	7440-50-8		3.7499	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0031	mg
Die	3.002	mg	Supplier	Silicon (Si)	7440-21-3		3.002	mg
Ероху	0.08	mg	Supplier	Titanium Dioxide (TiO2)	13463-67-7		0.0072	mg
			Supplier	Proprietary	Proprietary Data		0.0004	mg
			Supplier	Bismaleimide	13676-54-5		0.0404	mg
			Supplier	PTFE	9002-84-0		0.032	mg
Lead Frame	39.91	mg	Supplier	Silver (Ag)	7440-22-4		1.9955	mg
			Supplier	Zinc (Zn)	7440-66-6		0.0479	mg
			Supplier	Iron (Fe)	7439-89-6		0.9578	mg
			Supplier	Copper (Cu)	7440-50-8		36.8768	mg
			Supplier	Phosphorus (P)	7723-14-0		0.0319	mg
Mold Compound-Black	38.3	mg		Epoxy resin	proprietary data		5.0939	mg
			Supplier	Carbon Black (C)	1333-86-4		0.0766	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		33.1295	mg
Plating	3.81	mg	Supplier	Tin (Sn)	7440-31-5		3.81	mg
Solder Paste	5.26	mg	Supplier	Silver (Ag)	7440-22-4		0.1315	mg
			A	Lead (Pb)	7439-92-1	7a	4.8655	mg
			Supplier	Tin (Sn)	7440-31-5		0.263	mg
Wire Bond	0.29	mg	Supplier	Palladium (Pd)	7440-05-3		0.0058	mg
			Supplier	Gold (Au)	7440-57-5		0.0014	mg
			Supplier	Copper (Cu)	7440-50-8		0.2827	mg